



Seamless Flooring Systems



- ◆ Pharmaceutical
- ◆ Food & Beverage
- ◆ Medical & Healthcare
- ◆ Cleanrooms
- ◆ Restrooms
- ◆ Mechanical Rooms
- ◆ Parking Structures



Seamless Flooring Systems

Industrial/Commercial



Rubberseal™ -- Rubberseal™ Roll, Trowel, or Spray Grade is a water based, VOC (Volatile Organic Compounds) free, cold applied seamless rubber membrane specifically designed for protecting and waterproofing concrete and most other substrates. It is the primary base coating for Inflow Solutions' flooring systems.



Inflow High Build System -- Inflow High Build Epoxy System is a high build, colored epoxy/urethane, high performance concrete coating system. It is used for environments requiring an attractive, high performance floor or when a concrete floor has sustained damage requiring a moderately thick surfacer.

Anti-Static System -- Inflow Anti-Static Thin Mil System is a thin mil static dissipating colored epoxy coating system. It is used for environments where static control is needed.



Chemical Resistant System -- Inflow Chemical Resistant System is a high build floor system that enables mid-range to high performance chemical resistance. It is used for environments requiring a chemical resistant floor.

Troweled Epoxy Mortar -- Epoxy Mortar Flooring System is a troweled, high strength concrete resurfacing material. It is used for environments requiring an industrial grade floor or when a concrete floor has sustained damage requiring a 3/16" to 1/4" surface restoration.



Shop Floor System -- Inflow Shop Floor System is a high build, colored epoxy/urethane, high performance concrete coating system. It is used for environments requiring an attractive, high performance floor or when a concrete floor has sustained damage requiring a moderately thick surfacer with a slip resistant texture.

Thin Film Industrial Floor System -- Inflow Thin Film Industrial Floor is a colored epoxy/urethane, high performance concrete coating system. It is used for environments requiring an attractive, economical, high performance floor.

Decorative



Paint Chip Epoxy -- Inflow Decorative Flake System is a decorative and extremely durable concrete resurfacing system. It is used for environments requiring an attractive, aesthetically pleasing, high performance floor.


Decorative Quartz Floor -- Decorative Quartz Double Broadcast System is a decorative, multi-lift, high strength concrete resurfacing system. It is used for environments requiring an attractive, high performance floor or when a concrete floor has sustained damage requiring a textured 1/8" surface restoration.

Rubberseal™



- ◆ Inflow Solutions Rubberseal™ is a revolutionary and simplified spray-applied waterproofing membrane created specifically for floor waterproofing applications. Rubberseal™ Spray Grade Membrane is a two-component, elastomeric coating used to waterproof concrete and most construction substrates. Applied using dual-component spray equipment, Rubberseal™ Spray Grade Membrane provides a seamless, flexible, and outstanding barrier against water penetration.
- ◆ Rubberseal™ waterproofing membrane surpasses other floor waterproofing membranes because of its unmatched elongation properties, outstanding environmentally-friendly characteristics, unparalleled uplift force per square inch, and because of its inherent self-healing properties that allow the Rubberseal™ membrane system to self-recover from punctures and tears within minutes.

High Build Flooring System With Rubberseal™





**4100 N Powerline Rd
Suite A1 & A2,
Pompano Beach, FL 33073**

Phone: 954-975-9559
sales@inflowsolutions.com
www.inflowsolutions.com